

The technical drawing consists of two parts:

- Top View:** Shows a rectangular plate with overall dimensions of 25 units by 23 units. It features reinforcement bars labeled "3#8co10 L=114". The distance from the left edge to the centerline of the bars is 25 units, and from the right edge is 23 units. The total width of the bar arrangement is 45 units.
- Bottom View:** Shows a cross-section of the plate with a thickness of 15 units. It includes reinforcement bars labeled "4#2#12 L=60". The horizontal dimensions are 25 units by 23 units. Vertical dimensions include 15 units for the plate thickness and 30 units for the base layer. Elevation levels are indicated as +3.00 and +2.70.

Labels include "W0.1" at the top left, "A-A" indicating the section line, and "plyta SMART 15/60" at the top right.

[illegible]

KSZTAŁTKA WIĘNCOWA L22

2 #6co10 L=60

14

7

9

NO.1
(NO.2)

25

12.5 12.5

4#12

15

7

23

(73)

+3.15
(+3.65)

+2.70

UWAGA

Pręty główne zbrojenia wieńców #12(nr1) powinny być zakotwione w prostokątach

D

KSZTAŁTKA WIĘNCOWA L22

1 4#12

+3.15

2 #6co10

+2.93

25

12.5 12.5

A

Nr	#	L	n	A—IIIN				
				#6	#8	#12	#16	#20
1	12	≥L				400.00		
2	6	0.60	310	186.00				
3	6	0.48	614	294.72				
4	12	0.60	4			2.40		
5	8	1.14	6		6.84			
6	12	1.63	3			4.89		
7	12	1.60	2			3.20		
8	8	0.78	8		6.24			
9	12	1.56	2			3.12		
≥L				480.72	13.08	413.61		
≥M				106.72	5.17	367.28		
≥kg				473.17				

BETON C25/30
KLASA EKSPozyCJI XC3
STAL AIII

PRACOWNIA PROJEKTOWA BARBARA MARIA ROMANOWSKA
90-722 ŁÓDŹ, ul. Zachodnia 97, Tel. 502 554 187
e-mail: barbaramariamichalska@gmail.com

TEMAT: PROJEKT WYKONAWCZY
ROZBUDOWY I PRZEBUDOWY
CZĘŚCI HOSTELU POZOSTAŁEJ PO ROZBIÓRCIE
ORAZ ZMIANA JEGO SPOSOBU UŻYTKOWANIA
NA BUDYNEK ZAKŁADU OPIEKI ZDROWOTNEJ
PRZEPNACZONY DLA OSÓB W STANIE INTOKSYKACJI

REALIZACJA W RAMACH ZADANIA GMINNEGO
NR 2209851 pn: "MIEJSKI PROGRAM PROFILAKTYKI
I ROZWIĄZYWANIA PROBLEMÓW ALKOHOLOWYCH
– ADAPTACJA I REMONT HOSTELU NA POTRZEBY
MIEJSKIEGO CENTRUM TERAPII I PROFILAKTYKI
ZDROWOTNEJ im. bł. Rafała Chylińskiego w Łodzi"

ADRES: ŁÓDŹ, UL. PRZYBYSZEWSKIEGO 253
DZIAŁKA NR 3/8, OBREB W-31

UŻYTKOWNIK: MIEJSKIE CENTRUM TERAPII
i PROFILAKTYKI ZDROWOTNEJ
im. bł. RAFAŁA CHYLIŃSKIEGO w ŁODZI
92-320 Łódź ul. Niciarniana 41

PROJEKTANT:
mgr inż. DOROTA KACZMAREK
Uprawnienia budowlane
do projektowania bez ograniczeń
w specjalności konstr.-budowlanej
Nr ewid. 163/00/WŁ

SPRAWDZAJĄCY:
mgr inż. JACEK KACZMAREK
Uprawnienia budowlane
do projektowania bez ograniczeń
w specjalności konstr.-budowlanej
Nr ewid. 66/00/WŁ

LIPIEC 2016

LIPIEC 2016

BRANŽA: KONSTRUKCIJA

SKALA
1:20

RYSUNEK:
ŻELBETOWE ELEMENTY
STROPU SMART.

NR RYS.
K/5